


In relation to Secs 1, 2 & 3, see letter to Hon. S. Preese, 20 July, 1847 - 7.2
 See also letter to Hon. S. Preese, 30 June 1847.
 JPM



Total 3,816.20

Description of the quality of the lands on the interior sectional lines.

Between Sections	quality &c.	Between Sections	quality &c.
1. 2.	Part, hilly, red loess, brush, sugar &c.	30. 31.	Low level land, brush, sugar &c.
2. 3.	Good level land, same timber.	31. 32.	Same
3. 4.	Same	5. 6.	Hilly poor, sugar, brush, oak &c.
4. 5.	Same	7. 8.	Rocky and poor river hills
6. 7.	Same	5. 8.	Same
7. 18.	Same	19. 20.	Hilly, brush, oak, sugar &c.
18. 19.	Same		

Township N. 5. South. Range N. 10 East.

Anterior notional corners described:

Exterior Fruit	Bearing Tree	Inches diam.	Course thru bar	Inches diam.	Quality &c
A	B. Oak	8	S	11	From A to B. Level, Rich.
	B. Oak	9	S	11	Cash, Beech and Walnut.
a	Beech	12	S	11	
	Maple	6	S	11	
B	Walnut	15	S	11	B to C. Bottom, ash, sugar.
	Beech	12	S	11	
b	Buckeye	15	S	11	
	Elm	24	S	11	
C	Buckeye	10	S	11	C to D. 1 st side, bottom.
	Walnut	20	S	11	Sugar, Walnut, ash.
c	Maple	20	S	11	
	B. Oak	15	S	11	
D	Beech	24	S	11	D to E. Level, Rich.
	Poplar	16	S	11	Sugar, Beech, Ash.
d	Sugar	12	S	11	
	Sugar	6	S	11	
E	Beech	9	S	11	E to F. Principally very
	Beech	20	S	11	high hills, sugar, beech, Oak, &c.
e	Beech	16	S	11	
	Buckeye	12	S	11	
F	Sugar	5	S	11	F to G. Steep, rich, hills,
	Sugar	12	S	11	Sugar, Walnut,
f	Beech	10	S	11	
	Beech	26	S	11	
G	Lynn	14	S	11	G to H. hilly, rich, land,
	Ash	14	S	11	Sugar, Oak, &c.
H	Sugar	12	S	11	
	Sugar	13	S	11	
I	Beech	9	S	11	
	Hickory	18	S	11	
	Beech	6	S	11	
K	Sugar	7	S	11	
	Buckeye	12	S	11	
L	Poplar	24	S	11	
	Ash	20	S	11	
M	Elm	16	S	11	
	Sycamore	6	S	11	
N	B. Oak	20	S	11	
	B. Oak	7	S	11	
O	Maple	18	S	11	
	Honey Locust	9	S	11	
P	Sugar	10	S	11	
	Hickory	8	S	11	
Q	Sugar	8	S	11	
	B. Walnut	6	S	11	
R	Beech	18	S	11	
	B. Locust	5	S	11	
S	Lynn	6	S	11	
	Sugar	15	S	11	
T	B. Walnut	20	S	11	
	Ash	24	S	11	
U	Sycamore	14	S	11	U to V.
	Sycamore	14	S	11	
V	Beech	24	S	11	V to W
	Beech	15	S	11	
v	Elm	15	S	11	
	Lynn	15	S	11	
W	Hickory	24	S	11	W to X. Hilly, broken,
	Locust	18	S	11	Oak, Beech, Cedar.
w	B. Oak	16	S	11	
	B. Oak	18	S	11	
X	B. Oak	26	S	11	X to Y. Poor, level, Oak,
	B. Oak	15	S	11	
x	Beech	12	S	11	
	Beech	9	S	11	
Y	B. Oak	20	S	11	Y to Z. Rich, part hilly,
	Ash	15	S	11	rest bottom, ash, buckeye.
y	Beech	10	S	11	
	Buckeye	15	S	11	
Z	Elm	16	S	11	Z to 3. Bottom, ash, beech,
	Hickory	9	S	11	Elm and buckeye.
z	Buckeye	18	S	11	
	Beech	14	S	11	
3	Beech	14	S	11	3 to 4. Part level & part
	Beech	9	S	11	hilly, rich, ash, Poplar & beech.
4	Beech	10	S	11	
	Beech	16	S	11	
J	Walnut	18	S	11	J to A. Rich level,
	Beech	10	S	11	Oak, Elm.
J	B. Oak	15	S	11	
	Hickory	12	S	11	

Section Corners	Bearing true	Section diam.	Course true	Length dist.
S. 6. 7. 8	Sugar	8	S 1	11 2
	Sugar	8	S 19 E	25

Quarter section corners described

From and to	Bearing true	Inches diam.	Course they bear	Inches dist.
Sta X.	Beech	16	S 19 E	38
	Poplar	18	N 28 W	25
N to J.	Beech	13	S 70 W	18
	Beech	16	N 37 E	24
V to T.	Sweet Gum	20	N 73 W	17
	H. Oak	6	N 71 E	8
O to B.	Beech	36	S 74 E	38
	Beech	40	N 76 W	62

Indiana
HQ

